














WELLNAME=299-W19-40 WELLID=B2464
 Well Type=STANDARD Well purpose=GROUNDWATER
 Owner=DOE Contact=BHI Well Adm Compliance=COMPLIANT
 X_coor= 567973.90 Y_coor= 134847.40 Datum=NAD83(91) Date Survey= 1/1/1901
 Elevation= 209.000 Datum=NAVD88 Date Survey=06/10/96
 Ref_Point_Desc=BRASS CAP Ref_Point_side=NONE Contractor=ROGERS
 Well Comment= 4" PROPOSED MONITORING WELL
 Total Number of Screen Intervals=1
 Screen#=1 Screen_diam= 4.00 in Top= 70.34 Bottom= 76.43 m Slot_size= 0.04 in
 Screen_material=Stainless Steel

LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound:
 EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag

VOLATILE ORGANIC COMPOUNDS**SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE****METALS & PHYSICAL PARAMETERS****PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE****GENCHEM & ORGANICS & GENORGANICS**

LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:
EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag